

Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

Elmer Sherwood Nursery Company

Phone 9, Odessa, N. Y.

Wholesale Trade List
1935 - 1936

EVERGREENS

ARBOR VITAE

| | | |
|------------------------|---|------|
| American, 12-15" | @ | .20 |
| " 15-18" | @ | .25 |
| " 18-24" | @ | .30 |
| " 2-2½' | @ | .35 |
| " 2½-3' | @ | .40 |
| " 3-3½' | @ | .50 |
| " 3½-4' | @ | .65 |
| " 4-5' | @ | .90 |
| " 5-6' | @ | 1.00 |
| " 6-7' | @ | 1.35 |
| " 7-8' | @ | 1.75 |
| " 8-9' | @ | 2.00 |
| " 9-10' | @ | 2.50 |
| Aurea Nana, 2' | @ | .75 |
| " " 2½' | @ | 1.00 |
| Compacta, 18-24" | @ | .60 |
| " 2-3' | @ | .90 |
| Douglas Pyr. 12-15" | @ | .25 |
| " " 15-18" | @ | .35 |
| " " 18-24" | @ | .50 |
| " " 24-30" | @ | .60 |
| " " 30-36" | @ | .75 |
| " " 3-4' | @ | 1.00 |
| " " 4-5' | @ | 1.50 |
| Elegantissima, 18-24" | @ | .45 |
| Elwangeriana, 18-24" | @ | .50 |
| " 2-3' | @ | .60 |
| " 3-4' | @ | 1.25 |
| Globosa, 12-15" | @ | .25 |
| " 15-18" | @ | .30 |
| " 18-21" | @ | .40 |
| " 21-24" | @ | .60 |
| " 24-30" | @ | .75 |
| " 30-36" | @ | 1.00 |
| Globe American, 18-24" | @ | .35 |
| " " 2-2½' | @ | .50 |
| " " 2½-3' | @ | .65 |
| " " 3-4' | @ | .80 |
| " " 4-5' | @ | 1.00 |

ARBOR VITAE—continued

| | | | |
|---------------------|--------|---|------|
| Geo. Peabody, | 12-15" | @ | .40 |
| " | 15-18" | @ | .50 |
| " | 18-24" | @ | .60 |
| " | 24-30" | @ | .75 |
| " | 2½-3' | @ | .85 |
| " | 3-3½' | @ | 1.00 |
| " | 4-5' | @ | 1.50 |
| " | 6-7' | @ | 2.50 |
| Hovey's, | 12-15" | @ | .25 |
| " | 15-18" | @ | .35 |
| " | 18-24" | @ | .40 |
| " | 24-30" | @ | .60 |
| " | 2½-3' | @ | .75 |
| " | 3-4' | @ | 1.00 |
| Oriental, | 18-24" | @ | .30 |
| " | 2-3' | @ | .40 |
| " | 3-4' | @ | .65 |
| " | 4-5' | @ | .90 |
| " | 5-6' | @ | 1.25 |
| " | 6-7' | @ | 2.00 |
| " | 7-8' | @ | 2.50 |
| Plicata Atrovirens, | 12-18" | @ | .25 |
| " | 18-24" | @ | .35 |
| " | 24-30" | @ | .50 |
| " | 2½-3' | @ | .75 |
| " | 3-4' | @ | 1.00 |
| " | 4-5' | @ | 1.25 |
| Pyr. Am. | 2-2½' | @ | .50 |
| " | 2½-3' | @ | .65 |
| " | 3-4' | @ | .80 |
| " | 4-5' | @ | 1.00 |
| " | 5-6' | @ | 1.25 |
| Reidi, | 2-3' | @ | .60 |
| " | 3-4' | @ | .75 |
| " | 4-5' | @ | 1.00 |
| " | 5-6' | @ | 1.50 |
| " | 6-7' | @ | 2.50 |
| Siberian, | 12-15" | @ | .25 |
| " | 15-18" | @ | .35 |
| " | 18-24" | @ | .40 |
| " | 24-30" | @ | .50 |
| " | 30-36" | @ | .70 |
| " | 3-4' | @ | 1.00 |
| " | 4-5' | @ | 1.50 |
| Tom Thumb, | 12-15" | @ | .25 |
| " | 15-18" | @ | .35 |
| " | 18-24" | @ | .45 |
| " | 24-30" | @ | .60 |
| Woodard, | 15-18" | @ | .40 |
| " | 18-24" | @ | .60 |

FIR

| | | | |
|-----------|--------|---|------|
| Concolor, | 12-15" | @ | .40 |
| " | 15-18" | @ | .60 |
| " | 18-24" | @ | .75 |
| " | 24-30" | @ | 1.00 |
| " | 2½-3' | @ | 1.25 |
| " | 3-4' | @ | 1.75 |
| " | 4-5' | @ | 2.25 |
| " | 5-6' | @ | 3.00 |
| " | 6-7' | @ | 3.50 |
| " | 7-8' | @ | 4.00 |

FIR—continued

| | | |
|-----------------------------|---|------|
| Balsam, 12-15" | @ | .20 |
| " 15-18" | @ | .30 |
| " 18-24" | @ | .40 |
| " 2-2½' | @ | .50 |
| " 2½'-3' | @ | .65 |
| " 3-4' | @ | .85 |
| " 4-5' | @ | 1.00 |
| " 5-6' | @ | 1.25 |
| " 6-8' | @ | 1.50 |
| Douglas, 12-15" | @ | .35 |
| " 15-18" | @ | .45 |
| " 18-24" | @ | .60 |
| " 2-2½' | @ | .75 |
| " 2½'-3' | @ | 1.00 |
| " 3' | @ | 1.25 |
| " 4-5' | @ | 1.50 |
| " 5-6' | @ | 2.00 |
| " 6-8' | @ | 3.00 |
| Heather, Scotch 8-10" | @ | .18 |
| Hemlock, Canadensis, 15-18" | @ | .45 |
| " " 18-24" | @ | .60 |
| " " 24-30" | @ | .75 |
| " " 2½'-3' | @ | 1.00 |
| " " 3-3½' | @ | 1.50 |
| " " 3½'-4' | @ | 1.75 |
| " " 4-5' | @ | 2.25 |
| " Carolina, 4-5' | @ | 2.50 |
| " " 5-6' | @ | 3.50 |
| " Sargents, 12-15" | @ | 1.00 |

JUNIPER

| | | |
|---------------------------|---|------|
| Andora, 12-15" | @ | .50 |
| " 15-18" | @ | .75 |
| " 18-24" | @ | 1.00 |
| " 24-30" | @ | 1.25 |
| Chinensis, 15-18" | @ | .50 |
| " 18-24" | @ | .75 |
| " 2-2½' | @ | 1.00 |
| " 2½'-3' | @ | 1.25 |
| " 3-4' | @ | 1.50 |
| Excelsa, 15-18" | @ | .60 |
| Burki, 18-24" | @ | 1.00 |
| Communis Depressa, 18-24" | @ | .75 |
| " " 2-2½' | @ | 1.00 |
| " " 2½'-3' | @ | 1.25 |
| " " 3-4' | @ | 1.50 |
| " " 4-5' | @ | 2.00 |
| Horizontalis, 12-18" | @ | .40 |
| " 18-25" | @ | .60 |
| " 2-2½' | @ | .75 |
| Naborensis, 4-5' | @ | 1.50 |
| Irish, 12-18" | @ | .35 |
| " 18-24" | @ | .40 |
| " 24-30" | @ | .50 |
| " 2½'-3' | @ | .65 |
| " 3-3½' | @ | .75 |
| " 3½'-4' | @ | 1.00 |
| " 4-5' | @ | 1.50 |
| " 5-6' | @ | 2.00 |
| Meyeri Squamata 12-15" | @ | .75 |
| " " 15-18" | @ | 1.00 |
| " " 18-21" | @ | 1.25 |

JUNIPER—continued

| | | |
|---------------------------|---|------|
| Pfitzers, 12-15" | @ | .50 |
| " 15-18" | @ | .60 |
| " 18-24" | @ | .75 |
| " 24-30" | @ | 1.00 |
| " 30-36" | @ | 1.25 |
| Sabins, 12-15" | @ | .50 |
| " 15-18" | @ | .70 |
| " 18-24" | @ | .80 |
| Tom Thumb, 12-18" | @ | .50 |
| Virginiana, 12-15" | @ | .30 |
| " 15-18" | @ | .40 |
| " 18-24" | @ | .50 |
| " 24-30" | @ | .65 |
| " 2½-3' | @ | .75 |
| " 3-3½' | @ | .90 |
| " 3½-4' | @ | 1.00 |
| " 4-5' | @ | 1.25 |
| " 5-6' | @ | 1.50 |
| Virginiana Glauca, 18-24" | @ | 1.00 |
| " " 2-3' | @ | 1.25 |

PINE

| | | |
|--------------------|---|-------|
| Austrian, 18-24" | @ | .40 |
| " 24-30" | @ | .50 |
| " 30-36" | @ | .65 |
| " 3-4' | @ | .75 |
| " 4-5' | @ | 1.00 |
| " 5-6' | @ | 1.25 |
| " 7-8' | @ | 2.00 |
| Densiflora, 18-24" | @ | .30 |
| " 2-2½' | @ | .40 |
| " 2½-3' | @ | .50 |
| " 3-4' | @ | .70 |
| " 4-5' | @ | .90 |
| " 5-6' | @ | 1.00 |
| " 6-7' | @ | 1.50 |
| Jap. Red, 18-24" | @ | .40 |
| " " 2-2½' | @ | .60 |
| " " 2½-3' | @ | .75 |
| " " 3-4' | @ | .90 |
| " " 4-5' | @ | 1.00 |
| " " 5-6' | @ | 1.25 |
| Scotch, 18-24" | @ | .30 |
| " 2-3' | @ | .40 |
| " 3-4' | @ | .60 |
| " 4-5' | @ | .90 |
| " 5-6' | @ | 1.25 |
| " 6-7' | @ | 1.75 |
| " 7-8' | @ | 2.00 |
| " 8-10' | @ | 3.00 |
| " 10-12' | @ | 6.00 |
| " 12-14' | @ | 10.00 |
| Mugho, 12-15" | @ | .40 |
| " 15-18" | @ | .50 |
| " 18-24" | @ | .75 |
| " 24-30" | @ | .90 |
| " 2½-3' | @ | 1.00 |
| " 3-3½' | @ | 1.25 |
| " 3½-4' | @ | 1.50 |
| " 4-5' | @ | 2.00 |
| Stone, 2-3' | @ | .80 |

RETINOSPORA

| | | |
|------------------------|---|------|
| Filifera, 12-18" | @ | .30 |
| " 18-24" | @ | .50 |
| " 24-30" | @ | .70 |
| " 2½-3' | @ | .90 |
| Globe, 12-15" | @ | .30 |
| Pisifera, 12-15" | @ | .25 |
| " 15-18" | @ | .35 |
| " 18-24" | @ | .50 |
| " 24-30" | @ | .65 |
| " 2½-3' | @ | .75 |
| " 3-4' | @ | 1.00 |
| " 4-5' | @ | 1.25 |
| " 5-6' | @ | 1.75 |
| " 6-7' | @ | 2.50 |
| " 7-8' | @ | 3.50 |
| Pisifera Aurea, 12-15" | @ | .25 |
| " " 15-18" | @ | .35 |
| " " 18-24" | @ | .50 |
| " " 2-2½' | @ | .75 |
| " " 2½-3' | @ | 1.00 |
| " " 3-4' | @ | 1.50 |
| " " 4-5' | @ | 2.00 |
| " " 6-7' | @ | 2.50 |
| Plumosa, 12-15" | @ | .25 |
| " 15-18" | @ | .35 |
| " 18-24" | @ | .50 |
| " 2-2½' | @ | .75 |
| " 2½-3' | @ | 1.00 |
| " 3-4' | @ | 1.50 |
| " 4-5' | @ | 1.75 |
| Plumosa Aurea 12-15" | @ | .25 |
| " " 15-18" | @ | .35 |
| " " 18-24" | @ | .50 |
| " " 2-2½' | @ | .75 |
| " " 2½-3' | @ | 1.00 |
| Sulphurea 12-18" | @ | .25 |
| Squarrosa 8-10" | @ | .25 |
| " 18-24" | @ | .50 |
| Obtusa, 18-24" | @ | .50 |

SPRUCE

| | | |
|---------------------|---|------|
| Black Hills, 2-3' | @ | .75 |
| " " 3-4' | @ | 1.00 |
| " " 4-5' | @ | 1.25 |
| " " 5-6' | @ | 1.50 |
| Colo. Blue, 12-18" | @ | .60 |
| " " 18-24" | @ | 1.00 |
| " " 2-2½' | @ | 1.25 |
| " " 2½-3' | @ | 1.50 |
| " " 3-3½' | @ | 1.75 |
| " " 3½-4' | @ | 2.00 |
| " " 4-5' | @ | 2.25 |
| " " 5-6' | @ | 2.50 |
| " " 6-7' | @ | 3.00 |
| Colo. Green, 12-18" | @ | .25 |
| " " 18-24" | @ | .35 |
| " " 2-2½' | @ | .50 |
| " " 2½-3' | @ | .60 |
| " " 3-4' | @ | .90 |
| " " 4-5' | @ | 1.00 |
| " " 5-6' | @ | 1.25 |
| " " 6-7' | @ | 1.50 |
| " " 7-8' | @ | 2.00 |

SPRUCE—continued

| | | |
|------------------------------|---|------|
| Koster's Blue, 24-30" | @ | 2.00 |
| " " 30-36" | @ | 3.00 |
| " " 3-4' | @ | 4.00 |
| " " 4-5' | @ | 4.50 |
| " " 5-6' | @ | 5.00 |
| " " 6-7' | @ | 6.00 |
| Moerheime Blue, 2 yr. grafts | @ | 1.00 |
| " " 18-24" | @ | 2.25 |
| " " 24-30" | @ | 2.50 |
| " " 30-36" | @ | 3.00 |
| " " 3-3½' | @ | 3.50 |
| Colo. Blue, 2 yr. | @ | .30 |
| Norway 12-18" | @ | .20 |
| " 18-24" | @ | .25 |
| " 24-30" | @ | .30 |
| " 2½-3' | @ | .35 |
| " 3-4' | @ | .40 |
| " 4-5' | @ | .50 |
| " 5-6' | @ | .75 |
| " 6-7' | @ | .90 |
| " 7-8' | @ | 1.00 |
| " 8-10' | @ | 1.50 |
| White, 12-18" | @ | .25 |
| " 18-24" | @ | .40 |
| " 2-2½' | @ | .60 |
| " 2½-3' | @ | .75 |
| " 3-4' | @ | .90 |
| " 4-5' | @ | 1.00 |
| " 5-6" | @ | 1.20 |
| Taxus, Brevifolia, 12-15" | @ | .60 |
| " " 15-18" | @ | .75 |
| " " 18-24" | @ | .90 |
| " Cuspidata, 12-15" | @ | .50 |
| " " 15-18" | @ | .65 |
| " " 18-24" | @ | 1.00 |
| " " 24-30" | @ | 1.50 |
| " Capitata, 15-18" | @ | .75 |
| " " 18-24" | @ | .90 |
| " " 24-30" | @ | 1.00 |
| " " 30-36" | @ | 1.25 |
| " " 36-42" | @ | 1.50 |
| " Canadensis, 15-18" | @ | .60 |
| " " 18-24" | @ | .75 |
| " " 24-30" | @ | 1.00 |
| " Hicksii, 15-18" | @ | .75 |
| " " 18-24" | @ | 1.00 |
| " " 24-30" | @ | 1.35 |
| " " 2½-3' | @ | 1.75 |
| " " 3-3½' | @ | 2.00 |
| Evergreens, 3 yr. transpl. | | .15 |
| " 2 yr. beds | | .12 |
| " 1 yr. beds | | .08 |

ORNAMENTAL TREES

| | | |
|----------------------------|---|------|
| Ailanthus, 4-5' | @ | .30 |
| " 5-6' | @ | .40 |
| " 6-8' | @ | .50 |
| Amelanchier, 6-8' | @ | .40 |
| Ash, White, 6-8' | @ | .25 |
| " " 8-10' | @ | .40 |
| " " 10-12' | @ | .60 |
| " " 2-2½" caliper | @ | .75 |
| Balm of Gilead, 6" caliper | @ | 1.50 |

ORNAMENTAL TREES—continued

| | | |
|-----------------------------|---|------|
| Birch, Canoe, 5-6' | @ | .35 |
| " " 6-8' | @ | .50 |
| " " 2" caliper | @ | .90 |
| " " 3" " | @ | 1.25 |
| " " 4" " | @ | 2.50 |
| " White, 4-6' | @ | .30 |
| " " 6-8' | @ | .40 |
| " " 8-10' | @ | .50 |
| " " 10-12' | @ | .75 |
| " " 2-2½" caliper | @ | 1.00 |
| " " 2½-3" " | @ | 1.50 |
| " " 3-3½" " | @ | 1.75 |
| " " 3½-4" " | @ | 2.25 |
| " Clumps, 8-10' | @ | 1.25 |
| " " 6-8' | @ | 1.00 |
| " " 5-6' | @ | .75 |
| Beech, Am. 6-8' B&B | @ | 1.00 |
| " " 8-10' B&B | @ | 1.50 |
| " Purple, 3-4' | @ | 2.50 |
| " " 2-3' | @ | 2.00 |
| Bechtel's Crab, Flg. 2½-3' | @ | .35 |
| " " 3-4' | @ | .50 |
| Butternut, 3-4' | @ | .40 |
| " 4-5' | @ | .50 |
| " 6-8' | @ | .65 |
| Catalpa Bungeii, 2½' spread | @ | 1.25 |
| " " 6-8' | @ | .75 |
| " " 5-6' | @ | .50 |
| " Speciosa, 8-10' | @ | .35 |
| Cherry, Dbl. Flg. 4-5' | @ | .75 |
| " " 5-6' | @ | 1.00 |
| Dogwood, White Flg. 3-4' | @ | .50 |
| " " 4-5' | @ | .65 |
| " " 5-6' | @ | .75 |
| " Red Flg. 18-24" B&B | @ | .50 |
| " " 2-3' " | @ | .75 |
| " " 3-4' " | @ | 1.00 |
| Elm, Am. whips | @ | .20 |
| " " 5-6' | @ | .25 |
| " " 6-8' | @ | .30 |
| " " 8-10' | @ | .40 |
| " " 10-12' | @ | .50 |
| " " 2" caliper | @ | .80 |
| " " 2½" " | @ | 1.00 |
| " " 3-3½" caliper | @ | 1.50 |
| " " 3½-4" " | @ | 2.00 |
| " " 4-5" " | @ | 4.00 |
| Elm, Pumila, 4-5' | @ | .30 |
| " " 5-6' | @ | .50 |
| " " 6-8' | @ | .75 |
| " " 8-10' | @ | 1.00 |
| " " 2 " caliper | @ | 1.50 |
| " " 2½" " | @ | 2.00 |
| " " 3 " " | @ | 2.50 |
| " " 3½" " | @ | 3.00 |
| Linden, Am. 6-8' | @ | .60 |
| " " 8-10' | @ | .90 |
| " " 2 " caliper | @ | 1.25 |
| " " 2½" " | @ | 1.50 |
| " " 3½" " | @ | 1.75 |
| " Europ. 6-8' | @ | .60 |
| " " 8-10' | @ | .90 |

ORNAMENTAL TREES—continued

| | | | |
|--------------------|--------------------------|---|------------|
| Larch, Europ. | 3-4' | @ | .75 |
| " | " 4-5' | @ | 1.00 |
| Ginkgo | 2½-3' | @ | .60 |
| " | 3-5' | @ | 1.00 |
| " | 6-7' | @ | 1.50 |
| Hickory, Shellbark | 6-8' | @ | .75 |
| " | " 8-10' | @ | 1.00 |
| Hydrangea Tree, | 3-4' | @ | .20 |
| " | " 4-5' | @ | .25 |
| Ironwood, | 10-12' | @ | .75 |
| Maple, Ginnala | 2½-4' | @ | .60 |
| " | Negunda 8-10' | @ | .35 |
| " | " 10-12' | @ | .50 |
| " | " 2-2½" cal. | @ | .75 |
| " | " 3-4" " | @ | 1.00 |
| " | " 4-5" " | @ | 1.50 |
| " | Norway whips | @ | .25 |
| " | " 6-8' | @ | .60 |
| " | " 8-10' | @ | .80 |
| " | " 10-12', 1¼" cal. | @ | 1.00 |
| " | " 1½-2" cal. | @ | 1.25 |
| " | " 2-2½" " | @ | 1.50 |
| " | " 2½-3" " | @ | 2.00 |
| " | " 3-3½" " | @ | 2.50 |
| " | " 3½-4" " | @ | 3.00 |
| " | " 8" " | @ | 17.50 |
| " | Pennsylvanium 6-8' | @ | .50 |
| " | " 8-10' | @ | .75 |
| " | Red Rubrum 6-8' | @ | .40 |
| " | " " 8-10' | @ | .60 |
| " | " " 10-12' | @ | .90 |
| " | Silver, 6-8' | @ | .15 |
| " | " 8-10' | @ | .25 |
| " | " 10-12' | @ | .35 |
| " | " 1½-2" caliper | @ | .40 |
| " | " 2-2½" " | @ | .60 |
| " | " 2½-3" " | @ | .75 |
| " | " 3-3½" " | @ | 1.25 |
| " | " 3½-4" " | @ | 1.50 |
| " | " 4-5 " " | @ | 2.00 |
| " | " whips | @ | .10 |
| " | Schwed. Purple Leaf 6-8' | @ | .75 |
| " | " " 8-10' | @ | .90 |
| " | " " 1½-2" cal. | @ | 1.25 |
| " | " " 2-2½" " | @ | 1.50 |
| Maple, Sugar | 6-8' | @ | .50 |
| " | " 8-10' | @ | .75 |
| " | " 10-12' | @ | .90 |
| " | " 1½-2" caliper | @ | 1.00 |
| " | " 2-2½" " | @ | 1.25 |
| " | " 2½-3" " | @ | 1.50 |
| " | " 3-3½" " | @ | 2.00 |
| " | " 3-4 " " | @ | 2.50 |
| " | Sycamore, 8-10' | @ | .75 |
| " | " 10-12' | @ | .90 |
| " | " 3" caliper | @ | 2.00 |
| " | Jap. Blood Leaf 12-15" | @ | .75 |
| " | " " 15-18" | @ | 1.00 |
| " | " " 18-24" | @ | 1.50 |
| " | " " 2-2½' | @ | 2.50 |
| " | " " 2½-3' | @ | 3.00 |
| " | " " 3-4' | @ | 3.50 |

ORNAMENTAL TREES—continued

| | | | |
|----------------------|---------------|---|------|
| Mtn. Ash, Europ. | 2-3' | @ | .20 |
| " | " | " | " |
| " | 5-6' | @ | .35 |
| " | " | " | " |
| " | 6-8' | @ | .50 |
| Magnolia Soulangeane | 4-5' | @ | 3.00 |
| Mulberry, Tea's Wpg. | 2 yr heads | @ | .90 |
| Plane, Oriental | 6-8' | @ | .40 |
| " | " | " | " |
| " | 8-10' | @ | .60 |
| Poplar, Bolleana | 5-6' | @ | .20 |
| " | " | " | " |
| " | 6-8' | @ | .25 |
| " | " | " | " |
| " | 8-10' | @ | .35 |
| " | " | " | " |
| " | 10-12' | @ | .50 |
| " | Carolina | " | " |
| " | 6-8' | @ | .20 |
| " | " | " | " |
| " | 8-10' | @ | .25 |
| " | " | " | " |
| " | 10-12' | @ | .30 |
| " | " | " | " |
| " | 2-3" caliper | @ | .50 |
| " | Lombardy | " | " |
| " | 6-8' | @ | .20 |
| " | " | " | " |
| " | 8-10' | @ | .25 |
| " | " | " | " |
| " | 2½-3" caliper | @ | .40 |
| " | " | " | " |
| " | 1 yr. | @ | .05 |
| " | Silver, | " | " |
| " | 6-8' | @ | .15 |
| " | " | " | " |
| " | 8-10' | @ | .20 |
| " | " | " | " |
| " | 10-12' | @ | .25 |
| Prunus Pissardi | 2-3' | @ | .20 |
| " | " | " | " |
| " | 3-4' | @ | .30 |
| " | " | " | " |
| " | 4-5' | @ | .40 |
| Oak, Red | 6-8' | @ | .60 |
| " | " | " | " |
| " | 8-10' | @ | .90 |
| " | " | " | " |
| " | 1½-2" caliper | @ | 1.25 |
| " | " | " | " |
| " | 2-2½" " | @ | 2.00 |
| " | " | " | " |
| " | 2½-3" " | @ | 2.50 |
| " | Pin | " | " |
| " | 5-6' | @ | .75 |
| " | " | " | " |
| " | 6-8' | @ | .90 |
| " | " | " | " |
| " | 8-10' | @ | 1.20 |
| " | " | " | " |
| " | 1½-2" caliper | @ | 1.75 |
| " | " | " | " |
| " | 2-2½" " | @ | 2.50 |
| " | " | " | " |
| " | 2½-3" " | @ | 3.00 |
| " | Nigra | " | " |
| " | 4-6' | @ | .50 |
| " | " | " | " |
| " | 6-8' | @ | .75 |
| " | " | " | " |
| " | 8-10' | @ | 1.00 |
| " | " | " | " |
| " | 1½-2" caliper | @ | 1.50 |
| Red Bud, Judas Tree | 3-4' | @ | .30 |
| " | " | " | " |
| " | " | " | " |
| " | 4-5' | @ | .40 |
| " | " | " | " |
| " | " | " | " |
| " | 6-8' | @ | .50 |
| " | " | " | " |
| " | 8-10' | @ | .60 |
| Sweet Gum | 5-6' | @ | .60 |
| Strawberry Tree | 2-3' | @ | .15 |
| " | " | " | " |
| " | 3-4' | @ | .25 |
| " | " | " | " |
| " | 4-5' | @ | .40 |
| Tulip Tree | 6-8' | @ | .50 |
| Willow, Babylonica | 5-6' | @ | .25 |
| " | " | " | " |
| " | 6-8' | @ | .40 |
| " | " | " | " |
| " | 8-10' | @ | .60 |
| " | Golden Wpg. | " | " |
| " | 5-6' | @ | .30 |
| " | " | " | " |
| " | 6-8' | @ | .50 |
| " | " | " | " |
| " | 10-12' | @ | .75 |
| " | Laurel Leaf | " | " |
| " | 5-6' | @ | .40 |
| " | " | " | " |
| " | 6-8' | @ | .50 |
| " | " | " | " |
| " | 8-10' | @ | .65 |
| " | Pussy, French | " | " |
| " | 6-8' | @ | .50 |
| " | Rosemary | " | " |
| " | 6-8' | @ | .50 |
| " | " | " | " |
| " | 8-10' | @ | .75 |
| " | Wis. Wpg. | " | " |
| " | 6-8' | @ | .30 |
| " | " | " | " |
| " | 8-10' | @ | .60 |

ORNAMENTAL TREES—continued

| | | |
|-----------------------------|--------|------|
| Walnut, Black 4-6' | -----@ | .50 |
| “ “ 6-8' | -----@ | .75 |
| “ “ 8-10' | -----@ | 1.00 |
| Varnish Tree 2-3' | -----@ | .40 |
| Rhododendron Maximum 12-18" | -----@ | .65 |
| “ “ 18-24" | -----@ | 1.00 |
| “ “ 2-3' | -----@ | 1.50 |
| “ Catawb. 12-18" | -----@ | .90 |
| “ “ 18-24" | -----@ | 1.25 |
| “ “ 2-3' | -----@ | 1.50 |
| “ “ 3-4' | -----@ | 2.00 |
| “ Caroliniana 12-18" | -----@ | .90 |
| “ “ 18-24" | -----@ | 1.25 |
| “ “ 2-3' | -----@ | 1.50 |

ORNAMENTAL SHRUBS

| | | |
|--------------------------------|--------|------|
| Abelia 2-2½' | -----@ | .25 |
| Almond, Pink Flg. 18-24" | -----@ | .20 |
| “ “ “ 2-3' | -----@ | .25 |
| “ “ potted | -----@ | .40 |
| Amorpha 6-8' | -----@ | .15 |
| Azalea 12-15" | -----@ | .40 |
| “ potted | -----@ | 1.00 |
| “ nudiflora 2-3' | -----@ | .75 |
| “ White 2-3' | -----@ | .80 |
| Azalea Calendulacea, 15-18" | -----@ | .60 |
| “ “ 18-24" | -----@ | .75 |
| “ “ 2-3' | -----@ | 1.00 |
| Azalea, Viscosa 1-2' | -----@ | .60 |
| “ “ 2-3' | -----@ | 1.00 |
| “ Arborsens, 1-2' | -----@ | .60 |
| “ “ 2-3' | -----@ | 1.00 |
| “ Vaseyi, 12-18" | -----@ | .75 |
| “ Mollis, 12-15" | -----@ | .40 |
| “ “ 15-18" | -----@ | .60 |
| Andromeda 2-3' | -----@ | .30 |
| Barberry 10-12" | -----@ | .04 |
| “ 12-15" | -----@ | .05 |
| “ 18-24" | -----@ | .07 |
| “ 2-3' | -----@ | .10 |
| “ Red Leaf 12-15" | -----@ | .15 |
| “ “ “ 15-18" | -----@ | .20 |
| “ “ “ 18-24" | -----@ | .25 |
| Bald Cypress 3-4' | -----@ | .60 |
| Beauty Bush 18-24" | -----@ | .20 |
| “ “ 2-3' | -----@ | .30 |
| Butterfly Bush 18-24" | -----@ | .12 |
| Calycanthus 15-18" | -----@ | .10 |
| “ 18-24" | -----@ | .12 |
| “ 2-2½' | -----@ | .15 |
| Clethra 18-24" | -----@ | .20 |
| Coralberry 18-24" | -----@ | .07 |
| “ 2-3' | -----@ | .09 |
| Caragana, Sweet Pea Shrub 2-3' | -----@ | .15 |
| “ “ “ “ 3-4' | -----@ | .20 |
| Cornus Elegantissima 2-3' | -----@ | .25 |
| “ Gray Bark 2-3' | -----@ | .15 |
| “ Lantant, Yellow Twig 2-3' | -----@ | .12 |
| “ Siberica 2-3' | -----@ | .10 |
| Cotoneaster Acutifolia 3-4' | -----@ | .35 |
| “ “ 2-3' | -----@ | .25 |

ORNAMENTAL SHRUBS—continued

| | | |
|---------------------------------------|---|-----|
| Daphne Cneorum 6-8" | @ | .20 |
| " " 8-10" | @ | .35 |
| " " 10-12" | @ | .50 |
| " " 12-15" | @ | .75 |
| Deutzia Gracilis 12-15" | @ | .10 |
| " " 15-18" | @ | .15 |
| " Crenata 2-3' | @ | .10 |
| " " 3-4' | @ | .15 |
| " Pride of Rochester 18-24" | @ | .10 |
| " " " " 2-3' | @ | .12 |
| Euonymus Vegetus, 2 yr. | @ | .15 |
| Elder Golden 2-3' | @ | .10 |
| " Cut Leaf 2-3' | @ | .10 |
| " " " 3-4' | @ | .12 |
| " " " 6-8' | @ | .15 |
| " Red Fruited 4-5' | @ | .18 |
| Exochorda, Pearl Bush 2-3' | @ | .15 |
| Forsythia Intermedia 2-3' | @ | .08 |
| " " 3-4' | @ | .10 |
| " Spectabilis 2-3' | @ | .10 |
| " " 3-4' | @ | .12 |
| " Suspensa 2-3' | @ | .10 |
| " " 3-4' | @ | .12 |
| " Viridissima 2-3' | @ | .10 |
| Fringe, Purple 18-24" | | .25 |
| " " 2-3' | @ | .30 |
| " " 3-4' | @ | .40 |
| Honeysuckle Fragrantissima 2-3' | @ | .10 |
| " " 3-4' | @ | .15 |
| " Morrowi 2-3' | @ | .15 |
| " " 3-4' | @ | .20 |
| " Tart Pink 2-3' | @ | .10 |
| " " " 3-4' | @ | .15 |
| " " " 5-6' | @ | .20 |
| " " Red 2-3' | @ | .10 |
| " " " 3-4' | @ | .15 |
| " " White 2-3' | @ | .10 |
| " " " 3-4' | @ | .15 |
| Hamamelis, 3-4' | @ | .25 |
| Hydrangea A. G., Hills of Snow 15-18" | @ | .08 |
| " " " " " 18-24" | @ | .10 |
| " " " " " 2-3' | @ | .12 |
| " P. G. bush form 15-18" | @ | .08 |
| " " " " " 18-24" | @ | .10 |
| " " " " " 2-3' | @ | .12 |
| " " " " " 3-4' | @ | .15 |
| Ilex, Crenata, 15-18" | @ | .40 |
| " " 18-24" | @ | .60 |
| " Verticillata, 18-24" | @ | .25 |
| " " 2-3' | @ | .30 |
| Japan Quince, 15-18" | @ | .15 |
| " " 18-24" | @ | .20 |
| Kerria, 15-18" | @ | .20 |
| Kalmia, 2-3' | @ | .90 |
| Lespedeza, 2 yr. | @ | .25 |
| Lilac, Purple, 18-24" | @ | .10 |
| " " 2-3' | @ | .12 |
| " " 3-4' | @ | .20 |
| " " 4-5' | @ | .25 |
| " White, 18-24" | @ | .15 |
| " " 2-3' | @ | .20 |
| " " 3-4' | @ | .30 |

ORNAMENTAL SHRUBS—continued

| | | |
|-----------------------------------|---|-----|
| Lilac, Persian Pink 18-24" | @ | .20 |
| " " " 2-3' | @ | .25 |
| " " Purple, 18-24" | @ | .20 |
| " " " 2-3' | @ | .25 |
| " Chas. X, red, 2-3' | @ | .40 |
| " " " 3-4' | @ | .60 |
| " Marie LeGraye, white, 2-3' | @ | .40 |
| " " " 3-4' | @ | .60 |
| " Pres. Grevy, blue, 2-3' | @ | .40 |
| " " " 3-4' | @ | .60 |
| " Wm. Robinson, violet, 2-3' | @ | .40 |
| " " " 3-4' | @ | .60 |
| " Josikea, late purple, 3-4' | @ | .45 |
| " " " 4-5' | @ | .60 |
| Philadelphus Coronarius, 2-3' | @ | .10 |
| " " 3-4' | @ | .12 |
| " Lemoine 2-3' | @ | .10 |
| " " 3-4' | @ | .12 |
| " Grandiflora, 3-4' | @ | .12 |
| " " 4-5' | @ | .15 |
| " " 5-6' | @ | .20 |
| " Virginalis, 18-24" | @ | .10 |
| " " 2-3' | @ | .12 |
| " Aurea, yellow leaf, 18-24" | @ | .15 |
| " " " 2-3' | @ | .20 |
| Potentilla, fruticosa, 12-15" | @ | .20 |
| Pieris, japonica, 18-24" | @ | .60 |
| Prunus Triboba, Flg. Plum, 15-18" | @ | .20 |
| " " " 18-24" | @ | .25 |
| Perennials, potted | @ | .25 |
| Privet, Amur River North, 12-18" | @ | .05 |
| " " " 18-24" | @ | .06 |
| " " " 2-3' | @ | .07 |
| " Ibota 12-18" | @ | .05 |
| " " 18-24" | @ | .06 |
| " Regals, spreading, 12-18" | @ | .06 |
| " " 18-24" | @ | .08 |
| " " 2-3' | @ | .12 |
| " Vulgaris, 2' | @ | .10 |
| Rose, Am. Pillar, 2-3' | @ | .20 |
| Rosa Rugosa Red, 18-24" | @ | .12 |
| " " 2-3' | @ | .18 |
| " " White, 18-24" | @ | .12 |
| " " 2-3' | @ | .18 |
| Rose, Climbing, 2-3' | @ | .18 |
| " Wichuriana, 18-24" | @ | .10 |
| " " 2-3' | @ | .12 |
| " Pink Rambler, 2 year | @ | .18 |
| " Premiere Supreme | @ | .20 |
| " potted | @ | .40 |
| " assorted | @ | .25 |
| " patented | @ | .75 |
| Rhodotypos 18-24" | @ | .15 |
| " 2-3' | @ | .25 |
| Snowball, Common 15-18" | @ | .10 |
| " " 18-24" | @ | .12 |
| " " 2-3' | @ | .15 |
| " " 3-4' | @ | .18 |
| " Japan 2-3' | @ | .18 |
| Snowberry 18-24" | @ | .10 |
| " 2-3' | @ | .12 |
| " 3-4' | @ | .15 |

ORNAMENTAL SHRUBS—continued

| | | | |
|--------------------------|------------|---|-----|
| Spirea Anthony Waterer | 12-18" | @ | .10 |
| " | " " 18-24" | @ | .12 |
| " | " " 2-2½' | @ | .15 |
| " Aurea, yellow leaf, | 2-3' | @ | .10 |
| " " " " | 3-4' | @ | .15 |
| " Billardi | 18-24" | @ | .08 |
| " " " | 2-3' | @ | .12 |
| " Bumalda | 15-18" | @ | .10 |
| " " " | 18-24" | @ | .12 |
| " Frobella | 18-24" | @ | .10 |
| " Korean | 2-3' | @ | .15 |
| " " " | 3-4' | @ | .20 |
| " Thun. | 18-24" | @ | .09 |
| " " " | 2-3' | @ | .12 |
| " Van Houtte | 2-3' | @ | .05 |
| " " " " | 3-4' | @ | .06 |
| " " " " | 4-5' | @ | .07 |
| " " " " | 5-6' | @ | .08 |
| Stephanandra | 18-24" | @ | .20 |
| Sumac, Staghorn | 3-4' | @ | .08 |
| " " " | 4-5' | @ | .10 |
| Tamarix, Africana | 2-3' | @ | .12 |
| " " " | 3-4' | @ | .15 |
| Viburnum, Americanum | 2-3' | @ | .18 |
| " " " | 3-4' | @ | .25 |
| " Carlesi | 2-3' | @ | .40 |
| " Dentatum | 2-3' | @ | .12 |
| " " " | 3-4' | @ | .15 |
| " Dilatatum | 3-4' | @ | .20 |
| " Lantana | 2-3' | @ | .15 |
| " Sieboldi | 18-24" | @ | .15 |
| " " " | 2-3' | @ | .20 |
| " Tomentosum | 18-24" | @ | .12 |
| " " " | 2-3' | @ | .15 |
| Weigelia Eva Rathke, red | 15-18" | @ | .18 |
| " " " " " | 18-24" | @ | .25 |
| " Nivan, white flg. | 2-3' | @ | .20 |
| " Rosea, pink | 2-3' | @ | .18 |
| " " " " | 3-4' | @ | .20 |
| " Variegated, | 18-24" | @ | .15 |
| Yucca, 3 yr. | | @ | .15 |

CLIMBING VINES

| | | |
|-------------------------------|---|-----|
| Ampelopsis Vet. | @ | .18 |
| Bittersweet, native 3 yr. | @ | .10 |
| " Oriental | @ | .15 |
| Clematis, P. G. | @ | .15 |
| " large flowering | @ | .25 |
| Dutchman's Pipe | @ | .25 |
| Honeysuckle, Halls Jap. 2 yr. | @ | .08 |
| Matrimony Vine | @ | .15 |
| Pachysandra, 2 yr. | @ | .05 |
| Woodbine, Jap. 3 yr. | @ | .08 |
| Wisteria Purple | @ | .20 |
| " White | @ | .20 |
| Trumpet Vine | @ | .12 |
| Bleeding Heart, clumps | @ | .40 |
| " " 3-5 eyes | @ | .12 |
| Iris, German, clumps | @ | .10 |
| " " divisions | @ | .03 |
| " Japan, clumps | @ | .25 |

CLIMBING VINES—continued

| | | |
|---------------------------|---|------|
| Iris, Japan divisions | @ | .06 |
| “ Siberian blue, clumps | @ | .20 |
| “ “ “ divisions | @ | .05 |
| “ “ white, clumps | @ | .20 |
| “ “ “ divisions | @ | .05 |
| “ Spanish Blue, clumps | @ | .10 |
| “ “ “ divisions | @ | .03 |
| Japanese Lantern Plants | @ | .01½ |
| Paeonia, clumps 3 yr. | @ | .10 |
| “ divisions | @ | .06 |
| Phlox, pink clumps | @ | .15 |
| “ “ divisions | @ | .03 |
| “ white, clumps | @ | .15 |
| “ “ divisions | @ | .03 |
| Rock Garden Plants | @ | .05 |
| Apple trees, 3 yr. | @ | .15 |
| Pear “ 3 yr. | @ | .15 |
| Plum “ 3 yr. | @ | .15 |
| Peach “ 2 yr. | @ | .12 |
| Quince | @ | .15 |
| Apple, 1 yr. buds | @ | .10 |
| Pear, 1 yr. buds | @ | .10 |
| Plum, 1 yr. buds | @ | .10 |
| Gooseberry, Joselyn 3 yr. | @ | .10 |
| Huckleberry, 15-18” | @ | .10 |

SMALL STOCK—Lining Out

| | | |
|--------------------------|---|-----|
| Azalea, 2 yr. | @ | .20 |
| Rhododendron, in beds | @ | .15 |
| Catalpa, Speciosa, 2 yr. | @ | .05 |
| Elm, Pumila 1 yr. | @ | .05 |
| “ “ 2 yr. | @ | .10 |
| Linden Am. 2 yr. | @ | .10 |
| Poplar Lomb., 1 yr. | @ | .04 |
| “ “ 2 yr. | @ | .05 |

RETURN TO

ELMER SHERWOOD NURSERY CO.

Nurserymen

Odessa,

New York

If Not Delivered in Five Days

SECTION 562, P. L. & R.

U. S. Dept. of Agriculture,

Washington, D. C.
